

LUME SERIES

Imported from Italy, our **LUME** Series is inspired by Moroccan Zellige tiles and features a solid range of organic colours with strong variation. Available in a 60x240mm brick format for wall only.



PRODUCT TYPE: Glazed porcelain wall tile

COLOURS: White, Greige, Musk, Green, Blue and Black

SIZES: 60x240mm
Non-Rectified Edges


FINISHES/USAGE: Gloss/Wall only

AESTHETIC QUALITIES: Organic colour range and glossy surface

ORIGIN: Italy

TECHNICAL DATA: More technical data on last page

VARIATION:



V4

LUME SERIES

PRODUCT INFORMATION



White

Gloss

60x240mm



Greige

Gloss


60x240mm



Musk

Gloss

60x240mm



Green

Gloss


60x240mm



Blue

Gloss

60x240mm



Black

Gloss


60x240mm



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

LUME SERIES









LIFESTYLE IMAGES



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

LUME SERIES

TECHNICAL DATA

	technical characteristics	test method	required values	result
	water absorption	ISO 10545-3	≤0.5%	Eb ≤0,5 (Individual maximum value 0,6%)
	modulus of rupture	ISO 10545-4	≥35	R ≥35 (Individual minimum value 32 N/mm ²)
	surface quality	ISO 10545-2	Complies with the standards	≥95%
	breaking strength	ISO 10545-4	≥1300	≥1300 (Thickness ≥7,5 mm) ≥700 (Thickness < 7,5 mm)
	crazing resistance	ISO 10545-11	Pass	Pass
	chemical resistance	ISO 10545-13	Declared value	Pass
	resistance to frost	ISO 10545-12	Resistant	Pass
	staining resistance	ISO 10545-14	Minimum Class 3	Pass